EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20050238024").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 11:19
L2	0	l1 and manual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 11:19
L3	0	l1 and intervention	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 11:19
L4	70	provision$3 with (LATA or (local near2 access near2 transport near2 area))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 12:03
L5	70	l4 and (@ad<"20040422" or @pd< "20040422" or @ptad<"20040422" or @rlad< "20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 12:04
L6	7	l4 same (primary or secondary or fail$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 12:06
L7	3	provision$3 with (LATA or (local near2 access near2 transport near2 area)) with (IEC or (inter$1exchange near2 carrier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 12:09

L8	232	(LATA or (local near2 access near2 transport near2 area)) with (IEC or (inter$1exchange near2 carrier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 12:11
L9	217	l8 and (@ad<"20040422" or @pd<"20040422" or @ptad<"20040422" or @rlad<"20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 12:12
L10	346	(LATA or (local near2 access near2 transport near2 area)) with (IEC or IXC or (inter$1exchange near2 carrier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 12:14
L11	320	l10 and (@ad<"20040422" or @pd<"20040422" or @ptad<"20040422" or @rlad<"20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 12:14
L12	3	provision$3 with (LATA or (local near2 access near2 transport near2 area)) with (IEC or IXC or (inter$1exchange near2 carrier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 13:17
L13	34	provision$3 same (LATA or (local near2 access near2 transport near2 area)) with (IEC or IXC or (inter$1exchange near2 carrier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 13:18
L14	178	("20010000700" | "20020001307" | "20020072358" | "20020089985" | "20030043753" | "20030051195" | "20030091024" | "20030128692" | "20040090973" | "20040125776" | "20040141464" | "20040172574" | "20050013242" | "20050135237" | "20050135238" | "20050135254" | "20050135263" | "20050138203" | "20050138476" | "20050172160" | "20050172174" | "20050237925" | "20050238006" | "20050238007" | "20050240840" | "20060146700" | "20070168200" | "4905233" | "5016244" | "5408461" | "5544170" | "5548639" | "5559959" | "5633859" | "5650994" | "5856981" | "5894475" | "5936939" | "6028863" | "6038219" | "6108300" | "6108307" | "6167025" | "6181675" | "6181679" | "6185695" | "6195416" | "6259696" | "6311288" | "6377548" | "6424629" | "6456306" | "6473398" | "6538987" | "6553015" | "6556659" | "6570846" | "6581166" | "6590899" | "6594268" | "6643254" | "6716165" | "6763476" | "6766113" | "6781952" | "6795394" | "6823477" | "6826184" | "6829223" | "6862351" | "6865170" | "6925578" | "6952395" | "6973034" | "6981039" | "6983401" | "6990616" | "7027053" | "7093155" | "7120148" | "7120819" | "7165192" | "7200148" | "7209452" | "7240364" | "7275192" | "7350099" | "7460468" | "7466646").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 13:43

L15	20	I14 and (LATA or (local near2 access near2 transport near2 area)) and (IEC or IXC or (inter$1 exchange near2 carrier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 13:53
L16	12402	(maintenance or installation) near2 (window$1 or rang$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 14:59
L17	925	I16 same order$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:00
L18	769	I17 and (@ad<"20040422" or @pd<"20040422" or @ptad<"20040422" or @rlad<"20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:00
L19	266	I16 with order$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:01
L20	201	I19 and (@ad<"20040422" or @pd<"20040422" or @ptad<"20040422" or @rlad<"20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:01
L21	4802	(maintenance or installation) near2 rang$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:02
L22	4802	(maintenance or installation orschedul$3) near2 rang$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:02

L23	6326	(maintenance or installation or schedul$3) near2 rang$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:03
L24	487	l23 same order$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:03
L25	147	l23 with order$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:03
L26	113	l25 and (@ad< "20040422" or @pd< "20040422" or @ptad< "20040422" or @rlad< "20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:03
L27	105	l23 same provision$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:05
L28	19	l23 with provision$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:06
L29	97	l27 and (@ad< "20040422" or @pd< "20040422" or @ptad< "20040422" or @rlad< "20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:08
L30	17	(maintenance near2 window) with range$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:18

L31	8317	schedul$3 with range$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:20
L32	27852	provision$3 with range$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:20
L33	1734	provision$3 with range$1 with circuit$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:20
L34	1623	l33 and (@ad<"20040422" or @pd<"20040422" or @ptad<"20040422" or @rlad<"20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:21
L35	171	schedul$3 with range$1 with circuit$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:23
L36	125	l35 and (@ad<"20040422" or @pd<"20040422" or @ptad<"20040422" or @rlad<"20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 15:23
S1	4576859	(provision$3 or configur$5 or set$1up or schedul$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:52
S2	13743967	exceed$3 or surpass$3 or threshold or above or high$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:52

S3	2434861	(drop$4 or discard$3 or dump$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:52
S4	3505008	(committed near2 burst) or (committed near2 information near2 rate) or "CIR" or "Bc" or rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:53
S5	17677	(370/254,351,352,355,356,357,359,397,399,395.2,395.21,395.4,395.43,409,431).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:53
S6	46343	S1 with (threshold or watermark)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:53
S7	2298	S6 with S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:53
S8	58	S5 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:54
S9	39	S8 and (@ad< "20040422" or @pd< "20040422" or @rlad< "20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:54
S10	50156	S4 with (threshold or watermark)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:00

S11	4763	S10 same S1		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:01
S12	130	S11 and S5		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:01
S13	96	S12 and (@ad< "20040422" or @pd< "20040422" or @rlad< "20040422")		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:01
S14	586	S5 and S6		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:07
S15	1024486	S2 with S4		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:15
S16	3196067	S15 wih S3		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:16
S17	25990	S15 with S3		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:17
S18	508	S17 with S1		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:17

S19	19	S18 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:18
S20	15	S19 and (@ad<"20040422" or @pd<"20040422" or @rlad<"20040422")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:18
S21	4	(("7146000") or ("5065392")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 11:59
S22	1	S21 and rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 11:59
S23	2	("7027414").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:48
S24	1	S23 and CIR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:48
S25	4	(("7146000") or ("5065392")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:21
S26	0	S25 and (relay or ATM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:21

S27	2	"7027414"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 16:31
S28	0	S27 and controller$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 16:31
S29	2	S27 and classification	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 16:36
S30	3507391	(committed near2 burst) or (committed near2 information near2 rate) or "CIR" or "Bc" or rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:01
S31	2436573	(drop$4 or discard$3 or dump$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:01
S32	4581428	(provision$3 or configur$5 or set$1up or schedul$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:01
S33	13750380	exceed$3 or surpass$3 or threshold or above or high$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:01
S34	17695	(370/254,351,352,355,356,357,359,397,399,395.2,395.21,395.4,395.43,409,431).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:01

S35	26017	S30 with S31 with S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:08
S36	1947	S35 with (circuit$1 or connection$1 or path$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:09
S37	3294	S35 with (circuit$1 or connection$1 or device$1 or node$1 or path$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:09
S38	150	S37 with S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:09
S39	9	S38 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:09
S40	7257	S35 same (circuit$1 or connection$1 or device$1 or node$1 or path$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:12
S41	814	S40 same S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:12
S42	27	S41 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:12

S43	869263	S32 with S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:13
S44	24273	S43 with S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:14
S45	509	S44 with S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:14
S46	19	S45 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:14
S47	415595	S31 with (circuit$1 or connection$1 or device$1 or node$1 or path$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:17
S48	13935	S47 with S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:17
S49	342959	(committed near2 burst) or (committed near2 information near2 rate) or "CIR" or "Bc"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:17
S50	2240	S47 with S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:17

S51	404	S50 with S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:17
S52	4	S51 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:18
S53	4	(("7146000") or ("5065392")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:21
S54	0	S53 and ISP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 17:21

3/ 10/ 2009 4:44:29 PM
C:\ Documents and Settings\ ashivers\ My Documents\ EAST\ Workspaces\ 10829539 - 2nd search.wsp